





MARINE AIR CONDITIONING AND REFRIGERATING SYSTEMS

MODELLO MODEL	NUMERO COMPRESSORI COMPRESSOR QUANTITY	CAPACITA' - CAPACITY						MISURE - DIMENSIONS mm				PESO - WEIGHT	DATI ELETTRICI - ELECTRICAL DATA		
		CICLO ESTIVO - SUMMER CYCLE			CICLO INVERNALE - WINTER CYCLE			LARGHEZZA	WIDTH	PROFONDITA' DEPTH	ALTEZZA HEIGHT				
		FRIG/h	BTU	W	FRIG/h	BTU	W	MACCHINA UNIT	CONDENSATORE EXTERN. CONDENSER					Kg	Kw
C4	2	14.210	56.840	16.523	17.050	68.200	19.825	830	—	530	520	168	4,5	20,6	7,9
C5	2	18.290	73.160	21.267	21.950	87.800	25.523	930	—	530	520	185	5,9	28	9,7
C6	2	22.450	89.800	26.104	26.940	107.760	31.325	1.030	—	530	520	208	7,6	36	12,8
C6S	2	23.840	95.360	27.720	28.610	114.440	33.267	1.030	—	530	520	218	8,2	40	14,5
C10	2	36.580	146.320	42.534	43.900	175.600	51.046	1.320	1.370	620	610	242	10,5	—	21
C12	2	44.900	179.600	52.209	53.880	215.520	62.651	1.320	1.370	620	610	260	1,9	—	23,4
C9	3	33.670	134.680	39.151	40.400	161.600	46.976	1.250	1.320	580	660	280	11,3	54	19,2
C15	3	53.810	215.240	62.569	64.570	258.280	75.081	1.370	1.570	620	755	348	15,7	—	31,6
C18	3	60.290	241.160	70.104	72.350	289.400	84.127	1.370	1.570	620	755	369	17,8	—	35,1
C18S	3	69.420	277.680	80.720	83.202	332.810	96.746	1.370	1.570	620	835	390	15,8	—	32
C24	4	80.390	321.560	93.476	96.470	385.880	112.174	1.600	1.570	680	930	490	23,8	—	31,6
C35	4	99.700	398.800	115.930	119.640	478.560	139.116	1.950	1.890	690	1.000	750	26	—	44
C50	4	160.000	640.000	186.046	192.000	768.000	223.255	1.920	2.100	1.030	1.150	1.200	42	—	110






MODELLO MODEL	NUMERO COMPRESSORI COMPRESSOR QUANTITY	CAPACITA' - CAPACITY						MISURE - DIMENSIONS mm			PESO - WEIGHT	DATI ELETTRICI - ELECTRICAL DATA		
		CICLO ESTIVO - SUMMER CYCLE			CICLO INVERNALE - WINTER CYCLE							Kw	220V/1/50Hz RUN AMP	380/3/50Hz RUN AMP
		FRIG/h	BTU	W	FRIG/h	BTU	W	LARGHEZZA WIDTH	PROFONDITA' DEPTH	ALTEZZA HEIGHT	Kg			
ED 2	1	7.100	28.400	8.255	8.520	34.080	9.906	590	430	440	59	2,3	10,4	4
ED 2,5	1	9.140	36.560	10.627	10.970	43.880	12.755	590	430	440	63	2,9	14	4,9
ED 3	1	11.220	44.880	13.046	13.460	53.840	15.651	650	430	440	71	3,8	18	6,4
ED 4	2	14.210	56.840	16.523	17.050	68.200	19.825	750	470	470	110	4,5	20,8	7,9
ED 5	2	18.290	73.160	21.267	21.950	87.800	25.523	750	470	470	120	5,9	28	9,7
ED 6	2	22.450	89.800	26.104	26.940	107.760	31.325	810	470	500	135	7,6	36	12,8



Courtesy of Overmarine Group photo archive



MODELLO MODEL	CAPACITA' - CAPACITY		PORTATA - AIR FLOW	MISURE - DIMENSIONS mm			PESO - WEIGHT	DATI ELETTRICI ELECTRICAL DATA 220V/1/50-60Hz
	FRIG/h	BTU		LARGHEZZA WIDTH	PROFONDITA' DEPTH	ALTEZZA HEIGHT		
VA			m³/h				Kg	WATT
VA 1000N	1000	4000	400	375	271	192	6,2	100
VA 1550N	1550	6200	480	415	287	282	9,6	63
VA 1550S	1550	6200	480	475	307	232	9,1	63
VA 2500N	2500	10000	510	415	312	282	10,2	63
VA 2500S	2500	10000	510	475	332	232	10	63
VA 3500N	3500	14000	590	505	364	282	12,4	112
VA 3500S	3500	14000	545	545	332	232	11,2	63
VA 5000N	5000	20000	710	505	400	330	14,8	82
VA 7000N	7000	28000	1.180	918	364	282	24	224

MODELLO MODEL	CAPACITA' - CAPACITY		PORTATA - AIR FLOW	MISURE - DIMENSIONS mm			PESO - WEIGHT	DATI ELETTRICI ELECTRICAL DATA 220V/1/50-60Hz
	FRIG/h	BTU		LARGHEZZA WIDTH	PROFONDITA' DEPTH	ALTEZZA HEIGHT		
VAv			m³/h				Kg	WATT
VAV 1550N	1550	6200	480	415	215	480	9,6	63
VAV 1550S	1550	6200	480	475	215	430	9,6	63
VAV 2500S	2500	10000	510	475	215	430	10,2	63
VAV 3500N	3500	14000	590	505	250	530	12,4	116
VAV 5000N	5000	20000	710	505	278	580	14,8	82
VAV 7000N	7000	28000	1.180	918	250	530	24	224

MODELLO MODEL	PORTATA ARIA FLOW RATE	PREVALENZA STATIC PRESSURE	REGOLAZIONE TEMPERATURA	MISURE - DIMENSIONS mm					PESO WEIGHT	DATI ELETTRICI ELECTRICAL DATA 220V/1/50-60Hz	
	m3/h	Pa	TEMPERATURE REGULATION	LARGHEZZA WIDTH (mm)*	PROFONDITA' DEPTH (mm)	ALTEZZA HEIGHT (mm)	RIPRESA AIR IN (mm)	MANDATA AIR OUT(mm)	Kg	WATT	A
UTA 350 m ³ /h	350	200	THERMOSTATIC 2 SPEEDS	460	535	285	2 X D. 125	1 x D. 100	17	159	0,39
UTA 500 m ³ /h	500	250	THERMOSTATIC 2 SPEEDS	620	645	335	3 X D. 125	2 x D. 100	25	190	0,8
UTA 700 m ³ /h	700	200	THERMOSTATIC 2 SPEEDS	620	645	335	3 X D. 125	2 x D. 100	25	213	1

* three ways valve included

Also available with different capacities or voltage upon request

Also available with heaters



MODELLO MODEL	NUMERO COMPRESSORI COMPRESSOR QUANTITY	CAPACITA' CAPACITY		CONDENSAZIONE CONDENSATION	MISURE - DIMENSIONS mm			DATI ELETTRICI ELECTRICAL DATA
		FRIG/h	BTU		LARGHEZZA WIDTH	PROFONDITA' DEPTH	ALTEZZA HEIGHT	
DV 02	1	520	2.080	CONDENSATORE FUORISCAFO OUTBOARD CONDENSER	600	250	280	220V-24V/1/50Hz
DV 05	1	870	3.480	CONDENSATORE FUORISCAFO OUTBOARD CONDENSER	820	350	370	220V-24V/1/50Hz
AIR 04*	1	610	2.440	ARIA - AIR	420	470	350	220V/1/50Hz
AIR 05*	1	870	3.480	ARIA - AIR	420	470	350	220V/1/50Hz
AIRF 1*	1	1.450	5.800	ARIA FORZATA - FORCED AIR	520	600	400	380V/3/50Hz
AIRF 1,25*	1	2.020	8.080	ARIA FORZATA - FORCED AIR	520	600	400	380V/3/50Hz
SW 2*	2	2.900	11.600	POMPA ACQUA MARE SEA WATER PUMP	650	500	460	380V/3/50Hz
SW 2,5*	2	4.040	16.160	POMPA ACQUA MARE SEA WATER PUMP	650	500	460	380V/3/50Hz

*Also available with different capacities or voltage upon request
Custom models available upon request

